



Notified Body No. 0370

# CERTIFICADO DE EXAMEN UE DE TIPO

## EU-TYPE EXAMINATION CERTIFICATE



No. **0370-4514-PPE/B**

<b>ORGANISMO NOTIFICADO Nº</b> <i>NOTIFIED BODY NUMBER</i>	<b>0370 - LGAI TECHNOLOGICAL CENTER (APPLUS)</b>
<b>SOLICITANTE</b> <i>APPLICANT</i>	<b>Changzhou Combat Protective Equipment Co., Ltd.</b> QingSiTang, Henglin, Changzhou, Jiangsu, 213101 China
<b>FABRICANTE</b> <i>MANUFACTURER</i>	<b>Changzhou Combat Protective Equipment Co., Ltd.</b> QingSiTang, Henglin, Changzhou, Jiangsu, 213101 China
<b>REGLAMENTO DE APLICACIÓN PARA DAR LA CONFORMIDAD / APPLICABLE REGULATION TO GIVE CONFORMITY:</b> <b>REGLAMENTO (UE) 2016/425 SOBRE LOS EQUIPOS DE PROTECCIÓN INDIVIDUAL</b> <i>REGULATION (EU) 2016/425 PERSONAL PROTECTIVE EQUIPMENT</i>	
<b>PROCEDIMIENTO DE EVALUACIÓN DE LA CONFORMIDAD</b> <i>CONFORMITY ASSESSMENT PROCEDURE</i>	Módulo // <i>Module</i> : <b>B</b> <b>EXAMEN UE DE TIPO / EU TYPE EXAMINATION</b>
<b>IDENTIFICACIÓN DEL EPI (NÚMERO DE TIPO)</b> <i>IDENTIFICATION OF THE PPE (TYPE NUMBER)</i>	Ref.: 951222 Particulate Respirator
<b>NIVEL O NIVELES DE RENDIMIENTO O LA CLASE DE PROTECCIÓN DEL EPI / PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b>	FFP2 NR
<b>NORMAS ARMONIZADAS / HARMONISED STANDARDS</b>	EN 149:2001 + A1:2009 Dispositivos de protección respiratoria. Medias máscaras filtrantes de protección contra partículas. Requisitos, ensayos, marcado. <i>EN 149:2001 + A1:2009 Respiratory protective devices. Filtering half masks to protect against particles. Requirements, testing, marking</i>
<b>FECHA DE EMISIÓN / ISSUE DATE</b>	<b>30/09/2020</b>
<b>VALIDEZ HASTA / VALIDITY UNTIL</b>	<b>30/09/2025</b>
<p>El presente certificado se mantendrá vigente durante 5 años siempre que el producto descrito no sea modificado y cumpla los requisitos esenciales de salud y seguridad establecidos en el Reglamento (UE) 2016/425. Para asegurar dicho cumplimiento, este certificado deberá ir acompañado de la documentación correspondiente a la Evaluación de Conformidad con el tipo según módulo C2, D (realizada por un Organismo Notificado, según frecuencia establecida).</p> <p><i>This certificate will remain valid for 5 years as long as the indicated product is not modified and fulfills the essential requirements of health and safety established in (EU) Regulation 2016/425. To ensure such compliance, this certificate must be accompanied by the documentation corresponding to the Conformity Assessment to type according to C2, D(carried out by a Notified Body according, to the established frequency).</i></p>	

  
LGAI Technological Center, S.A.  
Xavier Ruiz Peña

Managing Director, Product Conformity B.U.



Este documento carece de validez sin su anexo técnico, cuyo número coincide con el del certificado.  
*This document is not valid without its technical annex, whose number coincides with the number of certificate.*

Puede comprobarse la validez de este certificado en nuestra página web / *You can check the validity of this certificate into our website at:*  
[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)

**ANEXO TÉCNICO**  
*TECHNICAL ANNEX*

**0370-4514-PPE/B**

**I. MODELOS INCLUIDOS EN EL CERTIFICADO**

*REFERENCES INCLUDED IN THIS CERTIFICATE*

<b>MARCA</b> <i>BRAND</i>	Nordiwell
<b>IDENTIFICACIÓN DEL EPI (NÚMERO DE TIPO)</b> <i>IDENTIFICATION OF THE PPE (TYPE NUMBER)</i>	Ref.: 951222 Particulate Respirator
<b>NIVEL O NIVELES DE RENDIMIENTO O LA CLASE DE PROTECCIÓN DEL EPI</b> <i>PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</i>	FFP2 NR
<b>INFORME DE ENSAYO</b> <i>TEST REPORT</i>	S20091400101E issued by Shenzhen NTEK Testing Technology Co., Ltd. (NTEK)

Test Report

SL52035273077801TX

Date: July 23, 2020

Page 1 of 7

CHANGZHOU COMBAT PROTECTIVE EQUIPMENT CO.,LTD  
QINGSITANG VILLAGE, HENGLIN TOWN, WUJIN DISTRICT, CHANGZHOU CITY

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A)Filtering Half Mask: Filtering half mask to protect against particles

SGS Internal Ref No. : SHHL2007528524MD

Style No. : Nordiwell 951102

Sample Color : (A)White

Manufacturer : CHANGZHOU COMBAT PROTECTIVE EQUIPMENT CO.,LTD

Country of Origin : China

Supplier : CHANGZHOU COMBAT PROTECTIVE EQUIPMENT CO.,LTD

Previous No. : SL52035260300301TX

Test Performed : Selected test(s) as requested by applicant

Sample Receiving Date : Jul 14, 2020

Testing Period : Jul 14, 2020 - Jul 23, 2020

Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).

Based on the results of the tests reported and the previous report SL52035260300301TX issued on Jun 28,2020, our Lab concluded that the recommendation level can be as below.

Sample No.	Recommendation Level
(A)	FFP2 NR

Signed for and on behalf of  
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd Testing Center

Sara Guo (Account Executive)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be relied upon except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-21) 61402666 or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building No.888, Yishan Road, Xuhui District Shanghai, China 200233    T (86-21) 61402666    F (86-21) 64956793    [www.sgs.com/en](http://www.sgs.com/en)  
中国·上海·徐汇区宜山路888号3号楼 邮编: 200233    T (86-21) 61402666    F (86-21) 64956793    [sgs@china.sgs.com](mailto:sgs@china.sgs.com)

Test Result

**Personal Protective Equipment - Respiratory Protective Devices- Filtering Half Masks to Protect against Particles- Requirements, Testing, Marking**

EN 149:2001+A1:2009

**Clause 7.9.1 Total Inward Leakage**

(EN 149:2001+A1:2009, Clause 8.5)

Test Requirement	Results	Comment
<p>The total inward leakage consists of three components: face seal leakage, exhalation value leakage(if exhalation value fitted) and filter penetration. For particle filtering half masks fitted in accordance with the manufacturer's information, at least 46 out of the 50 individual exercise results (i.e. 10 subjects x 5 exercises) for total inward leakage shall be not greater than: 25% for FFP1, 11% for FFP2, 5% for FFP3</p> <p>and, in addition, at least 8 out of the 10 individual wearer arithmetic means for the total inward leakage shall be not greater than: 22% for FFP1, 8% for FFP2, 2% for FFP3</p>	Detail refer to Appendix 1	Meet FFP1, Meet FFP2

**Appendix 1: Summarization of Test Data**

**Inward Leakage Test Data**

Subject	Sample No.	Condition	Walk(%)	Head Side/side(%)	Head up/down(%)	Talk(%)	Walk(%)	Mean(%)
Zhou	1	A.R.	5.41	5.78	4.96	7.62	6.35	6.02
Luo	2	A.R.	6.38	6.42	8.72	6.71	7.38	7.13
Lu	3	A.R.	5.74	7.49	6.18	5.61	5.26	6.06
Wang	4	A.R.	4.21	5.84	6.97	5.48	4.46	5.39
Bao	5	A.R.	7.18	6.97	7.78	6.82	6.54	7.06
Ding	6	T.C.	4.81	6.01	5.07	7.37	4.54	5.46
Li	7	T.C.	7.35	7.84	7.90	6.80	6.49	7.28
Chen	8	T.C.	6.56	4.86	6.51	4.14	5.75	5.56
Song	9	T.C.	6.54	4.24	5.37	7.86	7.60	6.32
Ye	10	T.C.	7.92	5.85	7.67	8.05	7.36	7.37

**Facial Dimension(mm)**

Subject	Face length	Face Width	Face Depth	Mouth Width
Chen	125	150	120	58
Lu	115	132	107	48
Zhou	115	135	106	52
Li	125	130	107	46
Luo	125	136	100	43
Zheng	128	140	112	55
Wang	120	147	103	48
Song	120	140	100	50
Bao	130	134	104	50
Ding	134	150	110	52
Liu	120	135	117	50

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties from exercising all their rights and obligations under the transaction documents. This document cannot be regarded as a contract, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone number: 86-21-50771444 or email: [CN.Qcccheck@sgs.com](mailto:CN.Qcccheck@sgs.com)

3<sup>rd</sup> Building, No.888, Yishan Road, Xuhui District, Shanghai, China 200233  
 中国·上海·徐汇区宜山路888号3号楼 邮编: 200233

1 (86-21) 61402666 1 (86-21) 64958793 [www.sgs.com](http://www.sgs.com)  
 1 (86-21) 64958793 1 (86-21) 64958793 [sgs@sgs.com](mailto:sgs@sgs.com)

Ye	126	137	105	52
----	-----	-----	-----	----

**Clause 7.9.2 Penetration of Filter Material**  
(EN 149:2001+A1:2009, Clause 8.11 & EN 13274-7:2019)

Test Requirement	Results	Comment																							
The penetration of the filter of the particle filtering half mask shall meet the requirements of the following table.	Detail refer to Appendix 2	Meet FFP1 Meet FFP2, Meet FFP3																							
<table border="1"> <thead> <tr> <th rowspan="2">Classification</th> <th colspan="2">Maximum penetration of test aerosol</th> </tr> <tr> <th>Sodium chloride test 95 l/min</th> <th>Paraffin oil test 95 l/min</th> </tr> </thead> <tbody> <tr> <td></td> <td>l/min</td> <td>%</td> </tr> <tr> <td></td> <td>%</td> <td>%</td> </tr> <tr> <td></td> <td>max.</td> <td>max.</td> </tr> <tr> <td>FFP1</td> <td>20</td> <td>20</td> </tr> <tr> <td>FFP2</td> <td>6</td> <td>6</td> </tr> <tr> <td>FFP3</td> <td>1</td> <td>1</td> </tr> </tbody> </table>			Classification	Maximum penetration of test aerosol		Sodium chloride test 95 l/min	Paraffin oil test 95 l/min		l/min	%		%	%		max.	max.	FFP1	20	20	FFP2	6	6	FFP3	1	1
Classification				Maximum penetration of test aerosol																					
			Sodium chloride test 95 l/min	Paraffin oil test 95 l/min																					
			l/min	%																					
	%	%																							
	max.	max.																							
FFP1	20	20																							
FFP2	6	6																							
FFP3	1	1																							

**Appendix 2: Summarization of Test Data**

Penetration of filter material

Aerosol	Condition	Sample No.	Penetration (%)
Sodium chloride test	As received	1	0.169
		2	0.284
		3	0.192
	Simulated wearing treatment	4	0.235
		5	0.271
		6	0.247
	Mechanical strength +Temperature conditioned	7	0.426
		8	0.271
		9	0.335
Paraffin oil test	As received	10	0.398
		11	0.511
		12	0.429
	Simulated wearing treatment	13	0.476
		14	0.491
		15	0.523
	Mechanical strength +Temperature conditioned	16	0.796
		17	0.823
		18	0.825

Flow conditioning : Single filter: 95.0 L/min

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be considered as a contract, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: +86 21 59714444 or email: [CN.Qcccheck@sgs.com](mailto:CN.Qcccheck@sgs.com)  
 3<sup>rd</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 1 (86-21) 61402666 1 (86-21) 64958793 [www.sgs.com](http://www.sgs.com)  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 1 (86-21) 61402666 1 (86-21) 64958793 [cn.qcccheck@sgs.com](mailto:cn.qcccheck@sgs.com)

**Clause 7.11 Flammability**

(EN 149:2001+A1:2009, Clause 8.6)

Test Requirement	Results	Comment
The material used shall not present a danger for the wearer and shall not be of highly flammable nature When tested, the particle filtering half mask shall not burn or not to continue to burn for more than 5 s after removal from the flame.	Detail refer to Appendix 3	Pass

**Appendix 3: Summarization of Test Data**

Flammability

Condition	Sample No.	Result
As received	1	NIL
	2	NIL
Temperature conditioned	3	NIL
	4	NIL

**Clause 7.12 Carbon Dioxide Content of The Inhalation Air**

(EN 149:2001+A1:2009, Clause 8.7)

Test Requirement	Results	Comment
The carbon dioxide content of the inhalation air (dead space) shall not exceed an average of 1,0 % (by volume)	Detail refer to Appendix 4	Pass

**Appendix 4: Summarization of Test Data**

Carbon Dioxide Content of The Inhalation Air

Condition	Sample No.	Result(%)
As received	1	0.4870
	2	0.4875
	3	0.4867
		Mean value:0.49

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties in a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be considered except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: +86 21 59714444 or email: CN.Qcccheck@sgs.com

3<sup>rd</sup> Building, No.88, Yishan Road, Xuhui District Shanghai, China 200233  
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

1 (86-21) 61402666 1 (86-21) 64958793 [www.sgs.com/en](http://www.sgs.com/en)  
 1 (86-21) 64958793 1 (86-21) 64958793 e [sgs@sgs.com](mailto:sgs@sgs.com)

**Clause 7.16 Breathing Resistance**

(EN 149:2001+A1:2009, Clause 8.9)

Test Requirement				Results	Comment
The penetration of the filter of the particle filtering half mask shall meet the requirements of the following table.				Detail refer to Appendix 5	Meet FFP1, Meet FFP2, Meet FFP3
Classification	Maximum permitted resistance (mbar)				
	Inhalation		Exhalation		
	30 l/min	95 l/min	160 l/min		
FFP1	0.6	2.1	3.0		
FFP2	0.7	2.4	3.0		
FFP3	1.0	3.0	3.0		

**Appendix 5: Summarization of Test Data**

Breathing resistance (mbar)

As received	Flow rate(l/min)	1					2					3				
		A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
		Inhalation	30	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.4	0.3	0.3	0.4
	95	1.0	1.1	1.0	1.1	1.0	1.0	1.1	1.0	1.1	1.0	1.0	1.1	1.0	1.1	1.0
Exhalation	160	2.3	2.4	2.3	2.4	2.3	2.3	2.4	2.3	2.4	2.3	2.3	2.3	2.4	2.3	2.3
Simulated wearing treatment	Flow rate(l/min)	4					5					6				
		A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
		Inhalation	30	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.4	0.4	0.4	0.3	0.3
	95	0.9	1.0	1.1	0.9	1.0	1.0	1.1	1.0	0.9	1.0	1.0	1.1	0.9	0.9	1.1
Exhalation	160	2.5	2.4	2.5	2.6	2.6	2.5	2.5	2.6	2.5	2.5	2.5	2.6	2.4	2.4	2.4
Temperature conditioned	Flow rate(l/min)	7					8					9				
		A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
		Inhalation	30	0.3	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.4
	95	0.9	1.1	1.0	1.0	1.1	0.9	1.0	1.1	0.9	1.1	1.0	1.1	1.0	0.9	1.1
Exhalation	160	2.3	2.4	2.3	2.4	2.3	2.3	2.4	2.3	2.4	2.4	2.3	2.3	2.4	2.3	2.4


A: facing directly ahead; B: facing vertically upwards; C: facing vertically downwards; D: lying on the left side; E: lying on the right side

Test	Uncertainty
Total inward leakage	3.4%
Penetration of filter material	4.8%
Carbon dioxide content of the inhalation air	3.9%
Breathing resistance (30L/min)	5.9%
Breathing resistance (95L/min)	4.9%
Breathing resistance (160L/min)	4.3%

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties from exercising all their rights and obligations under the transaction documents. This document cannot be considered as a contract, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: +86 21 59714444 or email: [CN.Qcccheck@sgs.com](mailto:CN.Qcccheck@sgs.com)  
 3<sup>rd</sup> Building, No.888, Yishan Road, Xuhui District, Shanghai, China 200233 1 (86-21) 61402666 1 (86-21) 64958793 [www.sgs.com](http://www.sgs.com)  
 中国·上海·徐汇区宜山路888号3号楼 邮编: 200233 1 (86-21) 61402666 1 (86-21) 64958793 e [sgs@sgs.com](mailto:sgs@sgs.com)

Sample Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be used, in whole or in part, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:** To check the authenticity of testing / inspection report & certificate, please contact us at telephone: +86 21 597 1444 or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 888, Yehen Road, Xuhui District, Shanghai, China 200233 1 (86-21) 61402666 1 (86-21) 64958793 [www.sgs.com](http://www.sgs.com)  
中国·上海·徐汇区宜山路888号3号楼 邮编: 200233 1 (86-21) 61402666 1 (86-21) 64958793 e [sgs@sgs.com](mailto:sgs@sgs.com)





\*\*\*End of Report\*\*\*

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be considered, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: +86 21 597 1444 or email: [CN.Qcccheck@sgs.com](mailto:CN.Qcccheck@sgs.com)

3<sup>rd</sup> Building, No.888, Yehen Road, Xuhui District Shanghai, China 200233 1 (86-21) 61402666 1 (86-21) 64958793 [www.sgs.com](http://www.sgs.com)  
中国·上海·徐汇区宜山路888号3号楼 邮编: 200233 1 (86-21) 61402666 1 (86-21) 64958793 e [sgs@sgs.com](mailto:sgs@sgs.com)

**CERTIFICADO DE CONFORMIDAD CON EL TIPO**  
**CONFORMITY TO TYPE CERTIFICATE**



No. **0370-4671-PPE/C2**

<b>ORGANISMO NOTIFICADO Nº</b> <i>NOTIFIED BODY NUMBER</i>	<b>0370 - LGAI TECHNOLOGICAL CENTER (APPLUS)</b>
<b>SOLICITANTE / FABRICANTE</b> <i>APPLICANT / MANUFACTURER</i>	<b>Changzhou Combat Protective Equipment Co., Ltd.</b> QingSiTang, Henglin, Changzhou, Jiangsu, 213101 China
<b>PLANTA DE PRODUCCIÓN</b> <i>PRODUCTION SITE</i>	<b>Changzhou Combat Protective Equipment Co., Ltd.</b> QingSiTang, Henglin, Changzhou, Jiangsu, 213101 China
<b>REGLAMENTO DE APLICACIÓN PARA DAR LA CONFORMIDAD / APPLICABLE REGULATION TO GIVE CONFORMITY:</b> <b>REGLAMENTO (UE) 2016/425 SOBRE LOS EQUIPOS DE PROTECCIÓN INDIVIDUAL</b> <i>REGULATION (EU) 2016/425 PERSONAL PROTECTIVE EQUIPMENT</i>	
<b>PROCEDIMIENTO DE EVALUACIÓN DE LA CONFORMIDAD CON EL TIPO</b> <i>CONFORMITY ASSESSMENT PROCEDURE TO TYPE</i>	Módulo // <i>Module</i> . <b>C2</b> <b>BASADA EN EL CONTROL INTERNO DE LA PRODUCCIÓN MÁS EL CONTROL SUPERVISADO DE LOS PRODUCTOS A INTERVALOS ALEATORIOS</b> <i>BASED ON INTERNAL PRODUCTION CONTROL PLUS SUPERVISED CONTROL OF PRODUCTS AT ALEATORY INTERVALS</i>
<b>IDENTIFICACIÓN DEL EPI (NÚMERO DE TIPO)</b> <i>IDENTIFICATION OF THE PPE (TYPE NUMBER)</i>	Ref.: 951222 Particulate Respirator
<b>NIVEL O NIVELES DE RENDIMIENTO O LA CLASE DE PROTECCIÓN DEL EPI / PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b>	FFP2 NR
<b>FECHA DE EMISIÓN / ISSUE DATE</b>	<b>28/10/2020</b>
<b>VALIDEZ HASTA / VALIDITY UNTIL:</b>	<b>28/10/2021</b>
El presente certificado se mantendrá vigente durante 1 año siempre que no se modifiquen las condiciones establecidas en el Certificado de Examen UE de Tipo referenciado en el Anexo. <i>This certificate will remain in force for 1 year as long as the conditions established in the EU Type certificate referenced in the annex are not modified.</i>	

  
LGAi Technological Center, S.A.  
Xavier Ruiz Peña  
Managing Director, Product Conformity B.U.



Este documento carece de validez sin su anexo técnico, cuyo número coincide con el del certificado.  
*This document is not valid without its technical annex, whose number coincides with the number of certificate.*

Puede comprobarse la validez de este certificado en nuestra página web / *You can check the validity of this certificate on our website:*  
[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)



COMBAT  
Group

**ANEXO TÉCNICO**  
TECHNICAL ANNEX

0370-4671-PPE/C2



**I. MODELOS INCLUIDOS EN EL CERTIFICADO**

REFERENCES INCLUDED IN THIS CERTIFICATE

<b>Nº CERTIFICADO DE EXAMEN UE DE TIPO</b> NR. EU TYPE EXAMINATION CERTIFICATE	<b>0370-4514-PPE/B</b>
<b>EMITIDO POR</b> ISSUED BY	LGAI TECHNOLOGICAL CENTER S.A. (APPLUS) <b>(Organismo notificado nº 0370 / Notified Body nr. 0370).</b>
<b>FECHA EMISIÓN</b> ISSUE DATE	30/09/2020
<b>VALIDEZ HASTA</b> VALIDITY UNTIL	30/09/2025
<b>MARCA</b> BRAND	Nordiwell
<b>IDENTIFICACIÓN DEL EPI (NÚMERO DE TIPO)</b> IDENTIFICATION OF THE PPE (TYPE NUMBER)	Ref.: 951222 Particulate Respirator
<b>NIVEL O NIVELES DE RENDIMIENTO O LA CLASE DE PROTECCIÓN DEL EPI / PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b>	FFP2 NR
<b>INFORME DE ENSAYO DE CONFORMIDAD CON EL TIPO</b> CONFORMITY TO TYPE TEST REPORT	S20091400102E issued by Shenzhen NTEK Testing Technology Co., Ltd.

COMBAT  
Group

COMBAT  
Group

# CERTIFICADO DE EXAMEN UE DE TIPO

## EU-TYPE EXAMINATION CERTIFICATE



Notified Body No. 0109



No. **0370-4514-PPE/B**

<b>ORGANISMO NOTIFICADO N°</b> <i>NOTIFIED BODY NUMBER</i>	<b>0370 - LGAI TECHNOLOGICAL CENTER (APPLUS)</b>
<b>SOLICITANTE</b> <i>APPLICANT</i>	<b>Changzhou Combat Protective Equipment Co., Ltd.</b> QingSiTang, Henglin, Changzhou, Jiangsu, 213101 China
<b>FABRICANTE</b> <i>MANUFACTURER</i>	<b>Changzhou Combat Protective Equipment Co., Ltd.</b> QingSiTang, Henglin, Changzhou, Jiangsu, 213101 China
<b>REGLAMENTO DE APLICACIÓN PARA DAR LA CONFORMIDAD   APPLICABLE REGULATION TO GIVE CONFORMITY:</b> <b>REGLAMENTO (UE) 2016/425 SOBRE LOS EQUIPOS DE PROTECCIÓN INDIVIDUAL</b> <i>REGULATION (EU) 2016/425 PERSONAL PROTECTIVE EQUIPMENT</i>	
<b>PROCEDIMIENTO DE EVALUACIÓN DE LA CONFORMIDAD</b> <i>CONFORMITY ASSESSMENT PROCEDURE</i>	Módulo // <i>Module</i> : <b>B</b> <b>EXAMEN UE DE TIPO   EU TYPE EXAMINATION</b>
<b>IDENTIFICACIÓN DEL EPI (NÚMERO DE TIPO)</b> <i>IDENTIFICATION OF THE PPE (TYPE NUMBER)</i>	Ref.: 951222 Particulate Respirator
<b>NIVEL O NIVELES DE RENDIMIENTO O LA CLASE DE PROTECCIÓN DEL EPI   PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</b>	FFP2 NR
<b>NORMAS ARMONIZADAS   HARMONISED STANDARDS</b>	EN 149:2001 + A1:2009 Dispositivos de protección respiratoria. Medias máscaras filtrantes de protección contra partículas. Requisitos, ensayos, marcado. <i>EN 149:2001 + A1:2009 Respiratory protective devices. Filtering half masks to protect against particles. Requirements, testing, marking</i>
<b>FECHA DE EMISIÓN   ISSUE DATE</b>	<b>30/09/2020</b>
<b>VALIDEZ HASTA   VALIDITY UNTIL</b>	<b>30/09/2025</b>
<p>El presente certificado se mantendrá vigente durante 5 años siempre que el producto descrito no sea modificado y cumpla los requisitos esenciales de salud y seguridad establecidos en el Reglamento (UE) 2016/425. Para asegurar dicho cumplimiento, este certificado deberá ir acompañado de la documentación correspondiente a la Evaluación de Conformidad con el tipo según módulo C2, D (realizada por un Organismo Notificado, según frecuencia establecida).</p> <p><i>This certificate will remain valid for 5 years as long as the indicated product is not modified and fulfills the essential requirements of health and safety established in (EU) Regulation 2016/425. To ensure such compliance, this certificate must be accompanied by the documentation corresponding to the Conformity Assessment to type according to C2, D(carried out by a Notified Body according, to the established frequency).</i></p>	

Applus<sup>+</sup>  
LGAI Technological Center, S.A.

Xavier Ruiz Peña  
Managing Director, Product Conformity B.U.



Este documento carece de validez sin su anexo técnico, cuyo número coincide con el del certificado.

*This document is not valid without its technical annex, whose number coincides with the number of certificate.*

Puede comprobarse la validez de este certificado en nuestra página web / You can check the validity of this certificate into our website at:  
[www.appluslaboratories.com/certified\\_products](http://www.appluslaboratories.com/certified_products)

**ANEXO TÉCNICO**  
*TECHNICAL ANNEX*

**0370-4514-PPE/B**

**I. MODELOS INCLUIDOS EN EL CERTIFICADO**

*REFERENCES INCLUDED IN THIS CERTIFICATE*

<b>MARCA</b> <i>BRAND</i>	Nordiwell
<b>IDENTIFICACIÓN DEL EPI (NÚMERO DE TIPO)</b> <i>IDENTIFICATION OF THE PPE (TYPE NUMBER)</i>	Ref.: 951222 Particulate Respirator
<b>NIVEL O NIVELES DE RENDIMIENTO O LA CLASE DE PROTECCIÓN DEL EPI</b> <i>PERFORMANCE LEVEL OR PROTECTION CLASS OF THE PPE</i>	FFP2 NR
<b>INFORME DE ENSAYO</b> <i>TEST REPORT</i>	S20091400101E issued by Shenzhen NTEK Testing Technology Co., Ltd. (NTEK)




Nordiwell

CE 0370

# Particulate Respirator

Model: 951222



Non-medical  
**50 PCS** FFP2 NR  Do Not Reuse

Use Ins

Hold the  
upward  
mouth a

Pull lower strap  
and fit around  
neck, and pull  
over the head  
above the ears

Adjust the metal  
your fingertips to fit  
your nose, exhale  
leaking.

To check the particulate  
to face seal, make sure  
leaking around respirator

Particulate Respirator